



Data Products & Accessories



Data Products
& Accessories **83**

All warranties are for 1 year only
unless otherwise stated.






Cat 5e Patch Panel




Cat 6 Patch Panel



Face Plates & Blanks



PDU Units



Ring Cable Manager



Freestanding Cabinets

All dimensions of freestanding cabinets available, please call for information and pricing.



Modules



Wall Boxes



Twistopp



Curly Handset Cord



Patch Leads


- CAT 5 UTP RJ45 Patch Leads
- Also available as CAT 6





Telecom accessories

Incom's range of telecoms accessories include:
Line adaptors, line jack units, connection boxes and much more!
Why not add some accessories to your telecoms order



Fibre Cables

Incom's range of fibre cables include:
fibre pigtails, patch cables and pre terminated cables to both standard and bespoke lengths. available in both single mode and multi mode fibre.

WHY NOT TRY US OUT TODAY?

Extension Leads

Available as:

- 4 wire 3m extension lead
- 4 wire 5m extension lead
- 4 wire 10m extension lead
- 6 wire 3m extension lead
- 6 wire 5m extension lead
- 6 wire 10m extension lead



Telephone / Modem Linecords

Available as:

- 3m BT to RJ11 (4 wire)
- 5m BT to RJ11 (2 wire)
- 10m BT to RJ11 (4 wire)
- 3m RJ11 to RJ11 (2 wire)
- 5m RJ11 to RJ11 (2 wire)
- 10m RJ11 to RJ11 (2 wire)



RJ45 Line Adaptor

BT4504 BT socket to RJ45 plug (PABX master)

Available as:

- BT4503 BT socket to RJ45 plug (secondary)
- BT4504 BT socket to RJ45 plug (PABX master)
- BT4505 BT socket to RJ45 plug (full master)
- BT4507 RJ45 socket to BT431a plug



Telephone Adaptor

Use 2 phones on one socket

Available as:

- 4 wire miniature doubler



incom® Incom Buy Back

Incom can now buy back a wider range of electrical equipment, including:

SERVERS, PRINTERS & MOBILE TELEPHONES



HP ProLiant DL360 Gen9 Performance - Xeon E5-2650V3 2.3 GHz - 32 GB - 0 GB

The HP ProLiant DL360 Gen9 server is a dual socket 1U rack server supplied with two 10 core Xeon E5-2650v3 2.30 GHz processors and 32 Gb of RAM. The DL360 Gen9 supports 2.5" hot-swap SAS drives and is covered by a 3 year on-site manufacturer warranty.



- Two 10 core 2.3 GHz processors
- 32 Gb DDR4 memory
- 2.5" SFF drive server model
- P440ar 12Gb/s controller with 2 Gb FBWC
- Gigabit Ethernet
- 2 x 800W hot plug power supplies
- iLO4 Advanced with 1 year 24x7 support license



HP ProLiant DL380 Gen9 Performance - Xeon E5-2650V3 2.3 GHz - 32 GB - 0 GB

The HP ProLiant DL380 Gen9 performance server is a dual socket 2U rack server supplied with two 12 core Xeon E5-2650v4 2.20 GHz processors and 32 Gb of DDR4 RAM. The DL380 Gen9 supports 2.5" hot-swap drives and is covered by a 3 year on-site manufacturer warranty.




- 2 x twelve core 2.20 GHz processors
- 32 Gb DDR4 memory
- Smart Array P440ar/2G Controller Module
- 2.5" SFF drive model
- 2 x 800W hot plug power supplies
- DVD-RW optical drive



HPE ProLiant ML350 Gen9 Entry - Xeon E5-2609V4 1.7 GHz - 8 GB - 0 GB

The HP ProLiant ML350 Gen9 server is a dual socket 5U tower server supplied with an 8 core Xeon E5-2609v4 1.7 GHz processor and 8 Gb of DDR4 RAM. The ML350 Gen9 supports 3.5" hot-swap SATA drives and is covered by a 3 year on-site manufacturer warranty.



- 8 core 1.70 GHz processor
- 8 Gb DDR4 memory
- B140i Controller (RAID 0/1/1+0/5) SATA Only
- 3.5" LFF drive server model
- 500W hot plug power supply



CALL FOR BEST PRICING 0161 935 1000



Aruba 2930F 24G 4SFP - switch - 24 ports - Managed - rack-mountable

Aruba 2930F 24G 4SFP - Switch - L3 - Managed - 24 x 10/100/1000 + 4 x Gigabit SFP (uplink) - rack-mountable



- High-performance access layer switches
- Performance and power at the edge
- Security and quality of service you can rely on
- Simplify with integrated wired/wireless management

Aruba 2930F 24G PoE+ 4SFP - switch - 24 ports - Managed - rack-mountable

Aruba 2930F 24G PoE+ 4SFP - Switch - L3 - Managed - 24 x 10/100/1000 (PoE+) + 4 x Gigabit SFP (uplink) - rack-mountable - PoE+



- The Aruba 2930F Switch Series provides performance, security, and ease of use for enterprise edge, SMB, and branch office networks

APC Smart-UPS 1500 LCD - UPS - 1 kW - 1500 VA

APC Smart-UPS 1500 LCD - UPS - AC 230 V - 1 kW - 1500 VA - RS-232, USB - 8 Output Connector(s)



- Intuitive LCD interface
- Predictive replace battery date
- Cold-start capable
- Hot-swappable batteries
- Disconnected battery notification
- Automatic self-test
- Automatic restart of loads after UPS shutdown
- Adjustable voltage-transfer points
- Adjustable voltage sensitivity



APC Smart-UPS 3000 LCD - UPS - 2.7 kW - 3000 VA

APC Smart-UPS 3000 LCD - UPS (rack-mountable) - AC 220/230/240 V - 2.7 kW - 3000 VA - RS-232, USB - 9 Output Connector(s) - 2U



- Intuitive LCD interface
- Predictive replace battery date
- Energy meter
- InfraStruXure Central compatible
- Pure sine wave output on battery
- Single switched outlet group
- Battery failure notification
- Cold-start capable
- Resettable circuit breakers

